



# Adjustable dripper 0-100L



Adjustable dripper 0-100 L/H. For installation use punch 3mm. Can be placed directly onto PE pipe 16-32mm or at the end of 4/7 PVC soft hose 6mm. Ideal drip irrigation for trees, bushes and flowers.

## 1. Product Specification

|           |                                      |
|-----------|--------------------------------------|
| Material  | PP                                   |
| Pressure  | 0.5-3 bar                            |
| Flow rate | 0-100 L/H                            |
| Pipe      | PE pipe 16-32mm or PVC soft hose 6mm |



### PERFORMANCE DATA (0-100L/H)

|       | 0.5 bar |       | 1.0 bar |       | 1.5 bar |       | 2.0 bar |       | 2.5 bar |       | 3.0 bar |       |
|-------|---------|-------|---------|-------|---------|-------|---------|-------|---------|-------|---------|-------|
| Click | L/H     | GPM   | L/H     | GPM   | L/H     | GPM   | L/H     | GPM   | L/H     | GPM   | L/H     | GPM   |
| 2     | 0.2     | 0.001 | 0.3     | 0.01  | 0.5     | 0.002 | 0.6     | 0.003 | 0.8     | 0.003 | 0.9     | 0.004 |
| 4     | 1.3     | 0.006 | 2.7     | 0.012 | 3.9     | 0.017 | 5       | 0.022 | 5.8     | 0.026 | 6.4     | 0.028 |
| 8     | 9       | 0.04  | 14.4    | 0.063 | 18.2    | 0.08  | 22.3    | 0.098 | 25.9    | 0.114 | 29.4    | 0.129 |
| 12    | 18.7    | 0.082 | 29.7    | 0.131 | 38.3    | 0.169 | 45.7    | 0.201 | 50.6    | 0.223 | 56.5    | 0.249 |
| 16    | 30.3    | 0.133 | 47.8    | 0.21  | 62.1    | 0.273 | 71.8    | 0.316 | 79      | 0.348 | 85.5    | 0.376 |
| 20    | 55.1    | 0.242 | 84.2    | 0.371 | 111.8   | 0.492 | 125.4   | 0.552 | 136.5   | 0.601 | 146.6   | 0.645 |
| 24    | 81.4    | 0.358 | 117     | 0.515 | 148.1   | 0.652 | 171.9   | 0.756 | 188.1   | 0.828 | 205.4   | 0.904 |
| 28    | 84.3    | 0.371 | 123.7   | 0.544 | 152.9   | 0.673 | 178.8   | 0.787 | 201     | 0.884 | 216.9   | 0.954 |
| 32    | 85.2    | 0.375 | 124.2   | 0.546 | 153.2   | 0.674 | 179.2   | 0.788 | 201.4   | 0.886 | 217.2   | 0.955 |

## 2. Product Feature



- (1) Flow rate adjustable. Signs (+) and (-) for discharge regulating.
- (2) 0-30 L/H drip irrigation and 30-10 L/H umbrella irrigation.
- (3) Dismantable, removable cap for easy cleaning.
- (4) Minimum filtration 80mesh (200micron).
- (5) High quality plastic body withstands UV radiation, chemicals
- (6) Long-lasting performance and labor-saving maintenance
- (7) Red or blue , more color for clients to choose

## Adjustable dripper 0-100L

### 3. Application

Ideal drip irrigation for trees, potted plants and flowers.

### 4. Package

| Photo   | Description                    | Size      | QTY/CTN | Vol./CTN | G.W/CTN |
|---|--------------------------------|-----------|---------|----------|---------|
|   |                                |           | PC      | M³       | KG      |
|  | Adjustable dripper<br>AY-2001  | 0-70 L/H  | 10000   | 0.065    | 19      |
|  | Adjustable dripper<br>AY-2001B | 0-100 L/H | 5000    | 0.063    | 19      |

### 5. FAQ

(1) What's the main material of adjustable dripper 0-100 L/H?

A: PP

(2) Which pipe for the adjustable dripper 0-100 L/H?

A: Can be placed directly onto PE pipe 16-32mm or at the end of 4/7 PVC soft hose 6mm.

(3) Which punch for the adjustable dripper 0-100 L/H?

A: For installation use punch 3mm.

(4) Is the adjustable dripper 0-100 L/H resistant to UV radiation?

A: Yes. High quality plastic body withstands UV radiation and chemicals.

(5) How to adjust the adjustable dripper 0-100 L/H?

A: Signs (+) and (-) for discharge regulating.

(6) Can you provide C/O certificate of origin?

A: Yes. C/O, Invoice, Packing list, Original B/L

(7) Are you sprinkler factory or trading?

A: We are factory. Welcome to our company Baoding Anyou Industry Co.,Ltd in Baoding China.