



Adjustable dripper 0-100L



Flow rate adjustable dripper 0-100 L/H. Radius 10cm to 70cm.

- For installation use punch 3mm. Can be placed directly onto PE pipe (Polypipe) 16mm to 32mm or at the end of 4/7 PVC soft hose 6mm.
- Ideal drip irrigation for dragon fruit, grape, banana, peach, trees, potted plants and flowers.

1. Product Specification

Material	PP
Pressure	0.5-3 bar
Flow rate	0-100 L/H
Pipe	PE pipe 16-32mm or PVC soft hose 6mm



PERFORMANCE DATA (0-100L/H)

	0.5 bar		1.0 bar		1.5 bar		2.0 bar		2.5 bar		3.0 bar	
Click	L/H	GPM	L/H	GPM	L/H	GPM	L/H	GPM	L/H	GPM	L/H	GPM
2	0.2	0.001	0.3	0.01	0.5	0.002	0.6	0.003	0.8	0.003	0.9	0.004
4	1.3	0.006	2.7	0.012	3.9	0.017	5	0.022	5.8	0.026	6.4	0.028
8	9	0.04	14.4	0.063	18.2	0.08	22.3	0.098	25.9	0.114	29.4	0.129
12	18.7	0.082	29.7	0.131	38.3	0.169	45.7	0.201	50.6	0.223	56.5	0.249
16	30.3	0.133	47.8	0.21	62.1	0.273	71.8	0.316	79	0.348	85.5	0.376
20	55.1	0.242	84.2	0.371	111.8	0.492	125.4	0.552	136.5	0.601	146.6	0.645
24	81.4	0.358	117	0.515	148.1	0.652	171.9	0.756	188.1	0.828	205.4	0.904
28	84.3	0.371	123.7	0.544	152.9	0.673	178.8	0.787	201	0.884	216.9	0.954
32	85.2	0.375	124.2	0.546	153.2	0.674	179.2	0.788	201.4	0.886	217.2	0.955

2. Product Feature

- (1) Flow rate adjustable. Signs (+) and (-) for discharge regulating.
- (2) 0-30 L/H drip irrigation and 30-10 L/H umbrella irrigation.
- (3) Dismantable, removable cap for easy cleaning.
- (4) Minimum filtration 80mesh (200micron).
- (5) High quality plastic body withstands UV radiation, chemicals
- (6) Long-lasting performance and labor-saving maintenance
- (7) Red or blue , more color for clients to choose

Adjustable dripper 0-100L

3. Application

Ideal drip irrigation for trees, potted plants and flowers.

4. Package

Photo	Description	Size	QTY/CTN	Vol./CTN	G.W/CTN
			PC	M³	KG
	Adjustable dripper AY-2001	0-70 L/H	10000	0.065	19
	Adjustable dripper AY-2001B	0-100 L/H	5000	0.063	19

5. FAQ

(1) What's the main material of adjustable dripper 0-100 L/H?

A: PP

(2) Which pipe for the adjustable dripper 0-100 L/H?

A: Can be placed directly onto PE pipe 16-32mm or at the end of 4/7 PVC soft hose 6mm.

(3) Which punch for the adjustable dripper 0-100 L/H?

A: For installation use punch 3mm.

(4) Is the adjustable dripper 0-100 L/H resistant to UV radiation?

A: Yes. High quality plastic body withstands UV radiation and chemicals.

(5) How to adjust the adjustable dripper 0-100 L/H?

A: Signs (+) and (-) for discharge regulating.

(6) Can you provide C/O certificate of origin?

A: Yes. C/O, Invoice, Packing list, Original B/L

(7) Are you sprinkler factory or trading?

A: We are factory. Welcome to our company Baoding Anyou Industry Co.,Ltd in Baoding China.