



BAODING ANYOU INDUSTRY CO.,LTD

Add: Baigou, Baoding, Hebei, China

Tel: +86 15233301525

WhatsApp/ Wechat: +86 15233301525

Email: anyou@ayirrigation.com



DRIP & SPRINKLER &
AGRICULTURAL ACCESSORIES

IRRIGATION

BAODING ANYOU INDUSTRY CO.,LTD

DIFFERENT SEASONS, STABLE HARVEST



Baoding Anyou Industry Co., Ltd. is a professional irrigation system manufacturer and supplier in China. The injection moulding operation is equipped with the latest robotic pick-up arm and modern plastic injection moulding machine. We are member of the Chinese Association of Irrigation Enterprises. As an ISO9001:2015, ISO14001:2015, ISO45001:2018 certified company and with a extensive sales network in China and worldwide, supplying to over 41 countries in the irrigation industry.

Our products include rain gun, sprinkler, drip tape, dripper, micro spray tube, PE pipe and fittings that deliver increased productivity per unit of resource. AnYou has achieved to realize the irrigation industry needs by working shoulder-to-shoulder with the clients. We are looking forward to cooperating with more and more foreign customers.



IRRIGATION

CATALOGUE

目录

1.DRIP TAPE AND SPRAY TUBE

2

2.DRIPPER

3

3.MICRO SPRINKLER

4-7

4.IMPACT SPRINKLER

8-10

5.RAIN GUN

11-13

6.SPRINKLER ACCESSORIES

14-15

7.DRIP ACCESSORIES

16-19

8.ZIGZAG AND SEEDLING TRAY

20

DRIP

APPLICATION



DRIP TAPE
DIAMETER(MM): 12, 16
SPACING (CM):
10; 15; 20; 30; 40
THICKNESS (MM):
0.13; 0.15; 0.16;
0.18; 0.2; 0.3; 0.4; 0.5
FLOW RATE (L/H):
1.38; 2.0; 3.0; 4.0

APPLICATION



SPRAY TUBE
DIAMETER(MM):
20; 21; 25; 27; 28; 32; 34; 40;
42; 49; 50; 60; 63
THICKNESS(MM):
0.2; 0.25; 0.3; 0.35; 0.4; 0.5; 0.6



DOUBLE WINGS SPRAY TUBE

PE LAY FLAT HOSE

DRIP PIPE

DIAMETER(MM):

20; 25; 27; 28; 32; 40; 50; 63

DIAMETER(MM):

21; 27; 34; 40; 42; 50; 63; 75; 90; 110

DIAMETER(MM):

12; 16

THICKNESS(MM):

0.2; 0.25; 0.3; 0.4; 0.5; 0.6

THICKNESS(MM):

0.3-1.2

THICKNESS(MM):

0.8; 0.9; 1.0; 1.1; 1.2



AY-2001D

0-150 L/H



AY-2001C

0-140 L/H



AY-2003

TURBO DRIPPER



AY-2003RL

4L/H, 8L/H,
16L/H, 25L/H



AY-2001260

0-260 L/H

DRIP

APPLICATION



LDPE TUBE
DIAMETER(MM):
5/7; 12; 16; 20; 25
THICKNESS(MM):
0.8; 1.0; 1.1; 1.2; 1.3; 1.4; 1.5
PACKAGE: 30M; 50M; 100M; 200M; 300M



AY-2001B
0-100 L/H
COLOR: GREEN OR BLUE



AY-2003
2L/H; 4L/H; 8L/H
COLOR: BLACK, YELLOW, BLUE



AY-2004
4L/H; 8L/H; 16L/H
BLACK; GREEN; BLUE



AY-2003NF
2L/H, 4L/H,



AY-2001
0-70 L/H



AY-2010
13.5 CM



AY-2030
BEND DRIP ARROW
BLACK OR BLUE



AY-2031
STRAIGHT DRIP ARROW
BLACK OR BLUE



AY-9237
PVC SOFT PIPE
3/5



AY-9201
SINGLE BARB
ADAPTER 3/5



AY-9202
DOUBLE BARB
ADAPTER 3/5




AY-9203
THREE BRANCHES
ADAPTER 3/5



AY-9205
FIVE BRANCHES
ADAPTER 3/5

SPRINKLER

APPLICATION




AY-1004F
FOUR HEAD FOGGER- BLACK
PRESSURE: 1.5-3.5 BAR
RADIUS: 0.9-1.1 M
FLOW RATE: 30-42 L/H



AY-1004C
FOUR HEAD FOGGER- GREY
PRESSURE: 1.5-3.5 BAR
RADIUS: 0.9-1.1 M
FLOW RATE: 30-42 L/H



AY-1004
COLOR: GREEN OR WHITE
PRESSURE: 1.5-3 BAR
RADIUS: 0.7-1 M
FLOW RATE: 30-35L/H



AY-1004B
COLOR: GREEN OR GREY
PRESSURE: 1.5-3 BAR
RADIUS: 0.7-1 M
FLOW RATE: 30-35L/H



AY-1004H
PRESSURE: 2-4 BAR
RADIUS: 0.6-1 M
FLOW RATE: 30-40L/H



AY-1005B
PRESSURE: 2.5-4 BAR
RADIUS: 0.5-2 M



AY-1005
PRESSURE: 1.5-4 BAR
RADIUS: 0.7-1 M

SPRINKLER



AY-100SF1
FOGGER SET



AY-1008C
RADIUS: 1.5 M
FLOW RATE: 80 L/H



AY-1008
RADIUS: 1.5 M
FLOW RATE: 80 L/H



AY-1008A
RADIUS: 1.5 M
FLOW RATE: 80 L/H



AY-1001
SINGLE HEAD FOGGER
PRESSURE: 1.5-4 BAR
RADIUS: 0.7-1 M
FLOW RATE: 8-10L/H



AY-1001F
SINGLE HEAD FOGGER-BRASS
PRESSURE: 2.5-4 BAR
RADIUS: 0.5-2 M
FLOW RATE: 20-50L/H



AY-1001A
SINGLE HEAD FOGGER- GREY
PRESSURE: 1.5-3 BAR
RADIUS: 0.7-1 M
FLOW RATE: 8-10L/H



AY-1001C
SINGLE HEAD FOGGER- BLACK
PRESSURE: 1.5-3 BAR
RADIUS: 0.7-1 M
FLOW RATE: 8-10L/H



AY-1107
SIZE: 6.0MM
PRESSURE: 1.5-3.5 BAR
RADIUS: 2-4.5 M



AY-1108
SIZE: 6.0MM
PRESSURE: 1.5-3 BAR
RADIUS: 1.5 M
FLOW RATE: 40 L/H



AY-1104
PRESSURE: 2-3 BAR
RADIUS: 3-5.5 M



AY-1101
SIZE: 1/2"
PRESSURE: 1.5-4 BAR
RADIUS: 4-7M
FLOW RATE: 200-850 L/H

SPRINKLER

APPLICATION



AY-1105A
GREEN OR BLUE NOZZLE
SIZE: 1/2" AND 3/4"
PRESSURE: 1.5-3 BAR
RADIUS: 3-5 M
FLOW RATE: 600 L/H



AY-1105
SIZE: 1/2" AND 3/4"
PRESSURE: 1.5-3 BAR
RADIUS: 3-5 M



AY-1106A
SIZE: 1/2" AND 3/4"
PRESSURE: 1.5-3 BAR
RADIUS: 3-5 M



AY-1106
SIZE: 1/2"
PRESSURE: 1.5-3 BAR
RADIUS: 3-5 M



AY-1106C
SIZE: 1/2"
PRESSURE: 1.5-3 BAR
RADIUS: 3-5 M



AY-1119
MICRO SPRINKLER
ANTI INSECT
FLOW RATE: 42-213L/H



AY-1224
MICRO SPRINKLER
ANTI INSECT
FLOW RATE: 42-213L/H



AY-1220
STANDING TYPE
OR HANGING TYPE



AY-1221
STANDING TYPE
OR HANGING TYPE

SPRINKLER

APPLICATION



AY-1116
PRESSURE: 1.5-2.5 BAR
RADIUS: 3-6 M
FLOW RATE: 220 L/H



AY-1260

SIZE: 6.0MM

PRESSURE: 2-5 BAR

RADIUS: 2.5-5 M



AY-1117

SIZE: 1/2"

PRESSURE: 1.5-2.5 BAR

RADIUS: 3-6 M

FLOW RATE: 220 L/H



AY-1109

3 NOZZLE REPLACEABLE

SIZE: 1/2" & 3/4"

PRESSURE: 1.5-4 BAR

RADIUS: 8-10 M



AY-1214

SIZE: 6.0MM



AY-1216

SIZE: 6.0MM



AY-1203

SIZE: 7.5MM

SPRINKLER

APPLICATION



AY-5104
SIZE: 1"
PRESSURE: 2-5 BAR
RADIUS: 18-26M
FLOW RATE: 4-6 M³/H



AY-5104A

SIZE: 1"

PRESSURE: 2-5 BAR

RADIUS: 18-26M

FLOW RATE: 4-6 M³/H



AY-5105

SIZE: 1"

PRESSURE: 2-5 BAR

RADIUS: 18-26M

FLOW RATE: 4-6 M³/H



AY-5101

SIZE: 1"

PRESSURE: 2-5 BAR

RADIUS: 18-26M

FLOW RATE: 4-6 M³/H



AY-5103

SIZE: 1"

PRESSURE: 2-5 BAR

RADIUS: 18-26M

FLOW RATE: 4-6 M³/H



AY-5102

SIZE: 1"

PRESSURE: 2-5 BAR

RADIUS: 18-26M

FLOW RATE: 4-6 M³/H



AY-5024

SIZE: 3/4"

PRESSURE: 2-5 BAR

RADIUS: 12-15 M

SPRINKLER

APPLICATION



AY-5003
SIZE: 1/2"
NOZZLE SIZE: 4.0MM
PRESSURE: 1.5-4 BAR
RADIUS: 5-12 M
FLOW RATE: 1.5-4 M³/H
360°ADJUSTABLE



AY-5005

SIZE: 1/2"

PRESSURE: 2-3 BAR

RADIUS: 8-12.5M

360°ADJUSTABLE



AY-5008

SIZE: 1/2"

PRESSURE: 2-3 BAR

RADIUS: 8-12.5M



AY-5006

SIZE: 1/2"

PRESSURE: 2.0-3.0 BAR

RADIUS: 6-10 M



AY-5134

SIZE: 3/4"

PRESSURE: 2-3 BAR



AY-5010

SIZE: 3/4"

NOZZLE SIZE: 5.0*2.5MM

PRESSURE: 3-5 BAR

RADIUS: 13-18M



AY-5011

SIZE: 3/4"

PRESSURE: 3-5 BAR

RADIUS: 13-18 M



AY-5020

SIZE: 3/4"

PRESSURE: 3-5 BAR

RADIUS: 5-17 M



AY-5035D

SIZE: 3/4"

NOZZLE SIZE: 5.0*2.5MM

PRESSURE: 3-5 BAR

RADIUS: 13-18M

SPRINKLER



AY-5023

SIZE: 3/4"

PRESSURE: 2-4 BAR

RADIUS: 13-15 M



AY-5025

SIZE: 3/4"

PRESSURE: 2-4 BAR

RADIUS: 13-15 M



AY-5112

SIZE: 1"

PRESSURE: 2-4 BAR

RADIUS: 17-26 M



AY-5209

WOBBLER SPRINKLER

SIZE: 1/2" OR 3/4" MALE

PRESSURE: 1-3 BAR

RADIUS: 5.5-8 M



AY-5302

MATERIAL: ZINC + BRASS

SIZE: 1/2" OR 3/4"

PRESSURE: 1.5-3 BAR

RADIUS: 6-13 M



AY-5206

SIZE: 3/4" MALE

PRESSURE: 2-5 BAR

RADIUS: 18-20 M

FLOW RATE: 2-4 M³/H



AY-5205

SIZE: 1/2" MALE

PRESSURE: 1.5-3.5 BAR

RADIUS: 8-13 M

FLOWRATE: 350 L/H OR 550 L/H



AY-5220

WOBBLER SPRINKLER

SIZE: 1/2"

PRESSURE: 1.03-1.72 BAR

RADIUS: 5-6M



AY-5201

SIZE: 1/2"

PRESSURE: 2-3 BAR

RADIUS: 3-7 M



AY-5210

SIZE: 1/2"

PRESSURE: 1.5-3 BAR

RADIUS: 1.2-5.2 M



AY-5202

SIZE: 1/2"

PRESSURE: 2-3 BAR

RADIUS: 2.5-6 M



AY-5203

SIZE: 3/4"

PRESSURE: 2-4.5 BAR

RADIUS: 8-13 M

SPRINKLER



AY-1020

SIZE: 1"

PRESSURE: 1.5-4 BAR

RADIUS: 12.5-19.5 M

FLOW RATE: 1.2-6.1 M³/H



AY-1030B

SIZE: 1-1/4"

PRESSURE: 1.5-5 BAR

RADIUS: 16.5-29 M

FLOW RATE: 3.7-18.6 M³/H



AY-1040T

SIZE: 2"

PRESSURE: 1.5-5 BAR

RADIUS: 20-46.5 M

FLOW RATE: 9.5-50.3 M³/H



AY-1040B

SIZE: 2"

PRESSURE: 1.5-5 BAR

RADIUS: 20-43 M

FLOW RATE: 9.5-39.4 M³/H



AY-1030D

SIZE: 1.5"

PRESSURE: 1.5-5 BAR

RADIUS: 20-35 M

FLOW RATE: 9-32 M³/H



AY-1030C

SIZE: 1.5"

PRESSURE: 3-5 BAR

RADIUS: 20-30 M

FLOW RATE: 6-24 M³/H



AY-1030; AY-1040A; AY-1050

SIZE: 1.5" ; 2" ; 2.5"

PRESSURE: 3-5 BAR



AY-5301

SIZE: 1"

PRESSURE: 2-5 BAR

RADIUS: 22-28 M



AY-5300

SIZE: 1"

PRESSURE: 2-5 BAR

RADIUS: 22-28 M

SPRINKLER

APPLICATION



AY-1050A-THREAD
RAIN GUN
1.5" THREAD
PRESSURE: 2-5 BAR
RADIUS: 22-41 M



AY-1050A

SIZE: 2" FLANGE

NOZZLE SIZE: 18-30MM

PRESSURE: 3-8 BAR

RADIUS: 26-57 M

NOTE: WITH FLANGE AND GASKET



AY-1050C

SIZE: 2" FLANGE

PRESSURE: 3-8 BAR

RADIUS: 29-55 M

ANGLE: 24°



AY-1050D

SIZE: 2" FLANGE

PRESSURE: 3-8 BAR

RADIUS: 47-80 M

ANGLE: 44°



AY-5030P

SIZE: 1.5"

PRESSURE: 3-5 BAR

RADIUS: 18-30 M

FLOW RATE: 4-10 M³/H



AY-1050F

SIZE: 2" FLANGE

NOZZLE SIZE: 14-24 MM

PRESSURE: 3-8 BAR

RADIUS: 29-52 M



AY-1050FL

SIZE: 2" FLANGE

PRESSURE: 3-8 BAR

RADIUS: 35-65 M

ACCESSORIES



AY-9503
STAND FOR SPRINKLER 1/2"
HEIGHT ADJUSTABLE: 50-90 CM



AY-9505
FOR SPRINKLER 1"
HEIGHT: 1.2M; 1.5M



STAND FOR RAIN GUN
PY30 PY40 PY50
HEIGHT: 1.2M; 1.5M



AY-9531
STAND FOR RAIN GUN



AY-9531T42
STAND FOR RAIN GUN
WITH 4 LEG



AY-9531T41
STAND FOR RAIN GUN
WITH 4 LEG



AY-XFPR1
SIZE: 1"



AY-XFPY1
SIZE: 1"



AY-XFPR15
HAND SPRINKLER
SIZE: 1.5" ; 2"



AY-XFPR15A
HAND SPRINKLER
SIZE: 1.5" ; 2"



AY-XFAP2
HAND SPRINKLER
SIZE: 2" ; 2.5"



AY-XFAA2
HAND SPRINKLER
SIZE: 2" ; 2.5"

ACCESSORIES



AY-9101
SIZE: 4/7



AY-9103
SIZE: 4/7



AY-9107
SIZE: 4/7



AY-9108
SIZE: 6.0MM



AY-9105
SIZE: 4/7



AY-9110
SIZE: 6.0MM



AY-9110A
SIZE: 6.0 * 7.5MM



AY-9110B
SIZE: 6.0MM



AY-9111A
SIZE: MALE 6.0MM



AY-9111B
SIZE: FEMALE 6.0MM



AY-9111C
SIZE: MALE 7.5MM



AY-9111
SIZE: MALE 6.0MM *
FEMALE 6.0MM



AY-9113
SIZE: 1/2" *
6.0MM MALE



AY-9113A
SIZE: 1/2" *
6.0MM FEMALE



AY-9113C
SIZE: 1/2" *
BARB



AY-9160C
2 BARB



AY-9160
VALVE 6.0MM



AY-91305B
WEIGHT: 38G
LENGTH: 5.7CM



AY-91309
WEIGHT: 38G
LENGTH: 9.8CM



AY-91306W
WEIGHT: 32G
LENGTH: 6CM



AY-9137
4/7 PVC SOFT PIPE



AY-9138
8/11 PVC SOFT PIPE



AY-9139
4/7 PVC SOFT PIPE



AY-9127
3CM OR 43CM



AY-9141
SIZE: 6.0 / 7.5MM

ACCESSORIES

				
AY-9146	AY-9147	AY-9145	AY-9144	AY-9109
SIZE: 4/7	SIZE: 4/7	SIZE: 4/7	SIZE: 4/7	SIZE: 4/7
				
AY-9142	AY-9293	AY-9294	AY-9298	PRESSURE GAUGE
SIZE: 4/7	WATER TIMER	WATER TIMER	WATER TIMER	
				
AY-9500	AY-9502	PVC LAYFLAT HOSE	PVC FIRE HOSE	FOOT VALVE
SUPPORT STAKES	SUPPORT STAKES	SIZE: 1" - 8"	SIZE: 1.5" - 6"	SIZE: 2" - 10"
				
AY-9590	AY-9590A	AY-959106	AY-959110	AY-959212
RAPID WATER VALVE	RAPID WATER VALVE	VALVE BOXES	VALVE BOXES	VALVE BOXES
SIZE: 3/4"; 1"	SIZE: 3/4"	SIZE: 6"	SIZE: 10"	SIZE: 12"
				
AY-203	AY-205	AY-104	AY-107	CONNECTORS
H BASE	CIRCLE BASE WITH SPRINKLER	WATER SPRAY GUN COLOR: RED OR GREEN	WATER SPRAY GUN	1/2" - 4"

ACCESSORIES

				
AY-9331	AY-9330	AY-9340	AY-9339	AY-9350
OFFTAKE FOR TAPE DN16*12	LOCK COUPLING DN16	LOCK BARB DN16	LOCK OFFTAKE DN16	END PLUG DN16
				
AY-9332	AY-9341	AY-9351	AY-9349	AY-9345
THREAD COUPLING DN16*1/2"	FOR LAY FLAT HOSE DN16	FOR LAY FLAT HOSE DN16	LOCK ELBOW DN16	LOCK TEE DN16
				
AY-9335	AY-9352	AY-9334	AY-9353	AY-9354
MALE THREAD TEE DN16*1/2"	FOR LAY FLAT HOSE DN16	ONE BARB TEE DN16*16*16	TEE FOR TAPE D.N16	TEE FOR TAPE DN16
				
AY-9356	AY-9355	AY-9358	AY-9359	AY-9357
RING OFFTAKE DN12*16	RING COUPLING DN16	BARB LOCK RING DN16*16	RING END PLUG DN16	RING ELBOW DN16
				
AY-9360	AY-9361	AY-9330G	AY-9330A	AY-9339A
TEE FOR DRIP TAPE DN16	TEE FOR DRIP TAPE DN16*12*16	LOCK COUPLING DN16	LOCK COUPLING DN16	LOCK OFFTAKE DN16

ACCESSORIES

				
AY-9376	AY-9376A	AY-937520	AY-9359L	AY-9304B
OFFTAKE WITH GASKET DN16*16	OFFTAKE FOR DN16*12	SIZE: 20	SIZE: 16	OFFTAKE DN16*16
				
AY-9304	AY-9303	AY-9311	AY-9310	AY-9305
OFFTAKE DN16*12; DN20*16	BARB STRAIGHT DN16; DN20; DN25	ELBOW DN16; DN20; DN25	TEE DN16; DN20; DN25	BARB END LINE DN16; DN20; DN25
				
AY-9312A	AY-9314	AY-9308	AY-9309	AY-9306
BARB REDUCER DN20*16	THREAD ELBOW 16*1/2"; 20*3/4"	THREAD TEE DN16*1/2"	16*1/2"; 16*3/4"; 20*1/2"; 20*3/4"; 25*1/2"; 25*3/4"	BARB CONNECTOR DN16; DN20
				
AY-9307	AY-9301	AY-9375A	AY-9709	AY-9706
DN16*1/2"; DN16*3/4"; DN20*1/2"; DN20*3/4"	END LINE DN16; DN20; DN25	SIZE: 16	VALVE 40	VALVE 32
				
AY-9706	AY-9704	AY-9701	AY-9704	AY-9701L
VALVE 28	VALVE	VALVE 20; 28; 40	VALVE 28	VALVE 25; 28; 32

ACCESSORIES

				
AY-9181	AY-9380	AY-9182	AY-9183	AY-9184
PUNCH DN4	PUNCH DN8	PUNCH DN4	PUNCH DN3*DN4	SIMPLE PUNCH DN3
				
AY-9387	AY-9386	AY-9382	AY-9385	AY-9388
PUNCH 14MM	PUNCH 8/10/12MM	PUNCH 16-40MM	PUNCH 8/12/16MM	PUNCH 3MM
				
AY-9389	AY-9710	AY-9707	AY-9708	AY-9705
28; 32	25; 32; 40; 50	25; 32; 40; 50	25; 32; 40; 50	END STOP

MINI VALVE

				
AY-4204	AY-4205	AY-4206	AY-4008	AY-4005
SIZE: 16*16	SIZE: 16*16	SIZE: 16*12	SIZE: 16, 20, 25	SIZE: 16, 20, 25
				
AY-4026	AY-4022	AY-4100	AY-4029	AY-4031B
SIZE: 16; 20; 25	SIZE: 16*12	SIZE: 16	SIZE: 16	SIZE: 16*16

MINI VALVE

				
AY-4017 SIZE: 16; 20; 25	AY-4011 SIZE: 16; 20; 25	AY-4032 SIZE: 16; 20; 25	AY-4041 SIZE: 16*16	AY-4036 SIZE: 16*16
				
AY-4201 SIZE: 12*16	AY-4156 SIZE: 1/2"*16	AY-4153 SIZE: 16; 20	AY-4162 SIZE: DN16	AY-4163 SIZE: DN16
				
AY-4203 SIZE: 16	AY-4150 SIZE: 12*16	AY-4150A WITH GASKET SIZE: 16*16	AY-4157 SIZE: 16*16	AY-4159 SIZE: 16*16
				
AY-4165 SIZE: 12*16	AY-4160 SIZE: 12*16	AY-4164 SIZE: 1/2"*16	AY-9302A H GROMMET 12; 16; 20MM	AY-9302B T GROMMET 12; 16MM

FILTER AND VENTURI INJECTOR

			
VENTURI INJECTOR SIZE: 1/2"; 3/4"; 1"; 1-1/2"	VENTURI INJECTOR SIZE: 2"	SUCTION ASSEMBLY SIZE: 1/2"; 3/4"; 1"; 1-1/2"	AIR & VACUUM RELIEF VALVE

FILTER AND VENTURI INJECTOR

			
DISC FILTER 3/4" ; 1" ; 1.2; 1.5" ; 2" ; 2.5"	SCREEN FILTER 3/4" ; 1" ; 1.2; 1.5" ; 2" ; 2.5"	DISC FILTER 1.2" ; 1.5" ; 2"	SCREEN FILTER 1.2" ; 1.5" ; 2"
			
DISC FILTER 2" ; 2.5" ; 3"	SCREEN FILTER 2" ; 2.5" ; 3"	DISC FILTER 2" ; 2.5" ; 3"	DISC FILTER 3" ; 4"

FITTINGS

				
ZIGZAG	LOCK CHANNEL	SIDE ROLL UP	CLAMP	MULCH FILM
				
AIR PRUNING POT	SEEDLING TRAY	TRANSPANTER	90° ELBOW	SADDLE CLAMP
				
COMPRESSION VALVE SIZE: 20 TO 63	COMPRESSION VALVE SIZE: 32; 40	COUPLING PN16	EQUAL TEE PN16	COMPRESSION VALVE SIZE: 20 TO 110