






Adjustable dripper 0-70 L/H @1bar. Radius 5cm to 40cm. Turn the red knob to increase or decrease the flow rate.

- For installation use punch 3mm. Can be placed directly onto PE pipe (Polypipe) 16mm to 32mm or at the end of 4/7 PVC soft hose 6mm.

- Ideal drip irrigation for dragon fruit, grape, banana, peach, trees, potted plants and flowers.

1. Product Specification

Material	PP
Pressure	0.5-3 bar
Flow rate	0-70 L/H @1bar
Pipe	PE pipe 16-32mm or PVC soft hose 6mm

	PERFORMANCE DATA (0-70L/H)											
	0.5 bar		1.0 bar		1.5 bar		2.0 bar		2.5 bar		3.0 bar	
Click	L/H	GPM	L/H	GPM	L/H	GPM	L/H	GPM	L/H	GPM	L/H	GPM
2	3.9	0.017	9.2	0.04	11.9	0.052	14.5	0.064	16.9	0.074	19.5	0.086
4	6.9	0.03	11.1	0.049	14.7	0.065	17.1	0.075	19.6	0.086	22.3	0.098
8	10.1	0.044	16.1	0.071	22.6	0.099	25	0.11	28.4	0.125	32.3	0.142
12	19.1	0.084	29.5	0.13	39.8	0.175	44.8	0.197	50.9	0.224	56.7	0.249
16	25.3	0.111	39.3	0.173	52.2	0.233	59.7	0.263	67.2	0.296	75.5	0.332
20	29.8	0.131	45.7	0.201	61.2	0.269	69	0.304	78.1	0.344	88	0.387
24	34.7	0.152	52.6	0.231	70.1	0.308	78.5	0.345	89.5	0.394	100.3	0.441
28	40.0	0.176	59.4	0.261	78.7	0.346	88	0.387	99.6	0.438	112	0.493
32	44.2	0.194	66.7	0.293	88.5	0.389	98.6	0.434	112.1	0.493	125.5	0.552

2. Product Feature



- (1) Flow rate adjustable. Signs (+) and (-) for discharge regulating.
- (2) 0-14 L/H drip irrigation and 14-70 L/H umbrella irrigation.
- (3) Dismantable, removable cap for easy cleaning.
- (4) Minimum filtration 80mesh (200micron).
- (5) High quality plastic body withstands UV radiation, chemicals

- (6) Long-lasting performance and labor-saving maintenance
 (7) Red, blue or black, more color for clients to choose

3. Application

Ideal drip irrigation for trees, potted plants and flowers.

4. Package

Photo	Description	Size	QTY/CTN	Vol./CTN	G.W/CTN
			PC	M³	KG
	Adjustable dripper AY-2001	0-70 L/H	10000	0.065	19
	Adjustable dripper AY-2001B	0-100 L/H	5000	0.063	19

5. FAQ

(1) What's the main material of adjustable dripper 0-70 L/H?

A: PP

(2) Which pipe for the adjustable dripper 0-70 L/H?

A: Can be placed directly onto PE pipe 16-32mm or at the end of 4/7 PVC soft hose 6mm.

(3) Which punch for the adjustable dripper 0-70 L/H?

A: For installation use punch 3mm.

(4) Is the adjustable dripper 0-70 L/H resistant to UV radiation?

A: Yes. High quality plastic body withstands UV radiation and chemicals.

(5) How to adjust the adjustable dripper 0-70 L/H?

A: Signs (+) and (-) for discharge regulating.

(6) Can you provide C/O certificate of origin?

A: Yes. C/O, Invoice, Packing list, Original B/L

(7) Are you sprinkler factory or trading?

A: We are factory. Welcome to our company Baoding Anyou Industry Co.,Ltd in Baoding China.