



Drip tape 16mm






Drip tape with flat emitter inside, resists clogging. Made by 100% virgin PE raw material and advanced production technology, anti-UV, anti-corrosion, and durability.

- With a wide variety of available flow rates (Flow rate: 1.38 L/H, 2L/H, 3L/H, 4L/H), spacing (10cm-60cm) and wall thicknesses (0.13mm, 0.15mm, 0.16mm, 0.18mm, 0.2mm, 0.3mm, 0.4mm, 0.5mm). 500m/roll, 800m/roll, 1000m/roll, 1500m/roll, 2000m/roll, 3000m/roll.

1. Product Specification

Thickness		Maximum pressure	
0.15 mm	6 mil	1.0 bar	14.5 psi
0.18 mm	7 mil	1.0 bar	14.5 psi
0.2 mm	8 mil	1.4 bar	20 psi
0.3 mm	12 mil	1.6 bar	23 psi



Drip tape 16mm

<p>Drip tape with flat emitter Diameter: 16mm Thickness: 0.18mm (7 mil) Flow rate: 1.38L/H, 2L/H, 2.5L/H, 2.7L/H, 3L/H, 4L/H</p>	Spacing: 10cm	1000m/roll Package size: 50*50*16cm
	Spacing: 15cm	1000m/roll Package size: 50*50*16cm
	Spacing: 20cm	1000m/roll Package size: 50*50*16cm
	Spacing: 25cm	1000m/roll Package size: 50*50*16cm
	Spacing: 30cm	1000m/roll Package size: 50*50*16cm
<p>Drip tape with flat emitter Diameter: 16mm Thickness: 0.2mm (8 mil) Flow rate: 1.38L/H, 2L/H, 2.5L/H, 2.7L/H, 3L/H, 4L/H</p>	Spacing: 10cm	1000m/roll Package size: 50*50*20cm
	Spacing: 15cm	1000m/roll Package size: 50*50*20cm
	Spacing: 20cm	1000m/roll Package size: 50*50*20cm
	Spacing: 25cm	1000m/roll Package size: 50*50*20cm
	Spacing: 30cm	1000m/roll Package size: 50*50*20cm
	Spacing: 40cm	1000m/roll Package size: 50*50*20cm
	Spacing: 50cm	1000m/roll Package size: 50*50*20cm
<p>Drip tape with flat emitter Diameter: 16mm Thickness: 0.3mm (12 mil) Flow rate: 1.38L/H, 2L/H, 2.5L/H, 2.7L/H, 3L/H, 4L/H</p>	Spacing: 10cm	1500m/roll Package size: 50*50*30cm
	Spacing: 15cm	1500m/roll Package size: 50*50*30cm
	Spacing: 20cm	1500m/roll Package size: 50*50*30cm
	Spacing: 25cm	1500m/roll Package size: 50*50*30cm
	Spacing: 30cm	1500m/roll Package size: 50*50*30cm
	Spacing: 40cm	750m/roll; 1500m/roll Package size: 50*50*30cm
	Spacing: 50cm	750m/roll; 1500m/roll Package size: 50*50*30cm

Drip tape 16mm

Drip tape with flat emitter Diameter: 16mm Thickness: 0.4mm (16 mil) Flow rate: 1.38L/H, 2L/H, 2.5L/H, 2.7L/H, 3L/H, 4L/H	Spacing: 10cm	1000m/roll Package size: 50*50*30cm
	Spacing: 15cm	1000m/roll Package size: 50*50*30cm
	Spacing: 20cm	1000m/roll Package size: 50*50*30cm
	Spacing: 25cm	1000m/roll Package size: 50*50*30cm
	Spacing: 30cm	1000m/roll Package size: 50*50*30cm
Drip tape with flat emitter Diameter: 16mm Thickness: 0.5mm (20 mil) Flow rate: 1.38L/H, 2L/H, 2.5L/H, 2.7L/H, 3L/H, 4L/H	Spacing: 15cm	500m/roll Package size: 50*50*30cm
	Spacing: 20cm	1000m/roll Package size: 50*50*30cm
	Spacing: 25cm	1000m/roll Package size: 50*50*30cm
	Spacing: 30cm	1000m/roll Package size: 50*50*30cm

Diameter	Wall thickness		Emitter spacing	Flow rate	Roll length	Rolls/40HQ
mm	mm	mil	cm	L/H	m	1000M/Roll
12	0.2	8	10-50	1.38, 2, 2.7, 3, 4	1000, 2000, 3000	2350
16	0.15	6	10-50	1.38, 2, 2.7, 3, 4	800, 1000, 2000	2250
16	0.18	7	10-50	1.38, 2, 2.7, 3, 4	800, 1000, 2000	1900
16	0.2	8	10-50	1.38, 2, 2.7, 3, 4	500, 1000, 2000	1650
16	0.3	12	10-50	1.38, 2, 2.7, 3, 4	500, 1000, 2000	1250
16	0.4	16	10-50	1.38, 2, 2.7, 3, 4	500, 1000, 2000	850

Note: 0.2mm: 650.000m for 20GP

20 GP container: 33.2 m³, 30.48 t;

40 HQ container: 76.3 m³, 32.5 t;

2. Product Feature

- (1) For irrigation of crops, spacing from 10cm to 60cm.
- (2) For surface and subsurface irrigation.
- (3) High strength and durability.
- (4) Highly resistance to clogging. Molded emitters stand up to challenging water and organic fertilizers.
- (5) Maximum flexibility for storage, transport and handling.
- (6) Blue (white or yellow) line on the surface is available, insures proper outlet placement.
- (7) It helps to maintain the looseness of soil.
- (8) Package is customizable.

3. Application

- (1) Irrigation for orchards, vineyards, fruit, vegetables, field crops and green house.
- (2) For grape, strawberry, melon, corn, coffee, tea, tomato, cucumber, carrot, potato, onion, etc.



Note: 1. Have drip tape emitter facing up that make sure we don't make any clogged emitters from any mud or soil; 2. Land is flat; 3. Filter 120 Mesh; 4. Prevent insect/rodent damage; 5. If left above ground something called "magnifying glass" or "lens effect" damage can occur if plastic mulch is placed directly over drip tape; 6. Extra length should be left at both ends to allow for connection.

4. FAQ

(1) What's the main material of drip tape with flat emitter?

A: PE

(2) Is drip tape original (new)material ?

A: Original (new) Material

(3) Is the drip tape with flat emitter resistant to UV radiation?

A: Yes. High quality plastic body withstands UV radiation



Drip tape 16mm

(4) Is drip tape ok for subsurface irrigation?

A: Ok, \leq 5 cm underground

(5) What is the length of Drip Tape required for one acre?

A: 4000 meters/acre. More fittings, quantity and details, please check 《What drip irrigation kit do you need for 1 acre farm》

(6) Can you provide C/O certificate of origin?

A: Yes. C/O, Invoice, Packing list, Original B/L

(7) Are you sprinkler factory or trading?

A: We are factory. Welcome to our company Baoding Anyou Industry Co.,Ltd in Baoding China.