



SAVE OUR MOST PRECIOUS RESOURCE-WATER

BAODING ANYOU INDUSTRY CO.,LTD

Add: Baigou, Baoding, Hebei, China
Tel: +86 15233301525
WhatsApp/ Wechat: +86 15233301525
Email: anyou@ayirrigation.com
Web: <https://www.anyoirrigation.com>
Facebook: <https://www.facebook.com/anyousprinkler/>

IRRIGATION

SPRINKLER & DRIP & MINI VALVE & FILTER & ACCESSORIES



BAODING ANYOU INDUSTRY CO.,LTD

SAVE OUR MOST PRECIOUS RESOURCE-WATER



Baoding Anyou is the professional irrigation system manufacturer and supplier in China. We are member of the Chinese Association of Irrigation Enterprises. We supply irrigation products to over 30 countries worldwide in the past 7 years.

Our products include sprinkler, drip, mini valve, filter and accessories with high R&D efficiency and competitive price. People-oriented is our company concept, and our products are popular because of the experienced team and complete quality control system. We are looking forward to cooperating with domestic and foreign customers.

ANYOU, save our most precious resource, water!



DRIP



APPLICATION



DRIP TAPE
DIAMETER(MM): 12, 16
SPACING (CM):
10; 15; 20; 30; 40; 50
THICKNESS (MM):
0.13; 0.15; 0.16;
0.18; 0.2; 0.3; 0.4; 0.5
FLOW RATE (L/H):
1.38; 2.0; 3.0; 4.0



DOUBLE LINE DRIP TAPE
DIAMETER(MM): 16
SPACING (CM):
10; 15; 20; 30; 40; 50
THICKNESS (MM):
0.13; 0.15; 0.16;
0.18; 0.2; 0.3; 0.4; 0.5
FLOW RATE (L/H):
1.38; 2.0; 3.0; 4.0

APPLICATION



MICRO SPRAY TUBE
DIAMETER(MM):
20; 25; 28; 32; 40; 50; 63
THICKNESS(MM):
0.2; 0.25; 0.3; 0.4; 0.5; 0.6



PE LAY FLAT HOSE
DIAMETER(MM):
40; 50; 63; 75; 90; 110
THICKNESS(MM):
0.3-1.2

APPLICATION



AY-2001B
0-100 L/H
COLOR: GREEN OR BLUE



LDPE TUBE
DIAMETER(MM):
5/7; 12; 16; 20; 25
THICKNESS(MM):
0.8; 1.0; 1.1; 1.2; 1.3; 1.4; 1.5
PACKAGE: 30M; 50M; 100M; 200M; 300M



AY-2005
FLOW RATE(L/H): 4, 8, 20, 23, 30, 40




AY-2002
2L/H, 4 L/H, 8 L/H
COLOR: BLACK, BLUE
PRESSURE COMPENSATION



AY-2003
2L/H; 4L/H; 8L/H
COLOR: BLACK, YELLOW, BLUE
PRESSURE COMPENSATION



DRIP



AY-2004
4L/H; 8L/H; 16L/H
BLACK; GREEN; BLUE



AY-2001
0-70 L/H
COLOR: RED OR BLUE



AY-2010
13.5 CM



AY-2020
TURBO TYPE DRIPPER
13 CM



EMITTER
1.38L; 2L; 3L; 4L



AY-2001D
0-150 L/H



AY-2001C
0-140 L/H



AY-2003
TURBO DRIPPER



AY-9202
DOUBLE BARB
ADAPTER 3/5



AY-9203
THREE BRANCHES
ADAPTER 3/5



AY-9205
FIVE BRANCHES
ADAPTER 3/5



AY-9201
SINGLE BARB
ADAPTER 3/5



AY-9237
PVC SOFT PIPE
3/5



AY-2030
BEND DRIP ARROW
COLOR: BLACK OR BLUE



AY-2031
STRAIGHT DRIP ARROW
COLOR: BLACK OR BLUE

ACCESSORIES



AY-9503
STAND FOR SPRINKLER 1/2"
MATERIAL: STAINLESS STEEL
HEIGHT ADJUSTABLE: 50-90 CM




STAND FOR RAIN GUN
PY30 PY40 PY50
MATERIAL: ALUMINUM
HEIGHT: 1.2M; 1.5M



STAND AND FITTINGS
FOR SPRINKLER 1"
MATERIAL: ALUMINUM
HEIGHT: 1.2M; 1.5M



AY-1005
PRESSURE: 1.5-4 BAR
RADIUS: 0.7-1 M



AY-1004
COLOR: GREEN OR WHITE
PRESSURE: 1.5-3 BAR
RADIUS: 0.7-1 M
FLOW RATE: 30-35L/H



AY-1004B
COLOR: GREEN OR GREY
PRESSURE: 1.5-3 BAR
RADIUS: 0.7-1 M
FLOW RATE: 30-35L/H




AY-1001
SINGLE HEAD FOGGER
PRESSURE: 1.5-4 BAR
RADIUS: 0.7-1 M
FLOW RATE: 8-10L/H



AY-1004H
FOUR HEAD FOGGER
PRESSURE: 2-4 BAR
RADIUS: 0.6-1 M
FLOW RATE: 30-40L/H

APPLICATION



AY-1005B
PRESSURE: 2.5-4 BAR
RADIUS: 0.5-2 M



AY-1004C
FOUR HEAD FOGGER- GREY
PRESSURE: 1.5-3.5 BAR
RADIUS: 0.9-1.1 M
FLOW RATE: 30-42 L/H



AY-1004F
FOUR HEAD FOGGER- BLACK
PRESSURE: 1.5-3.5 BAR
RADIUS: 0.9-1.1 M
FLOW RATE: 30-42 L/H



AY-1001F
SINGLE HEAD FOGGER- BRASS
PRESSURE: 2.5-4 BAR
RADIUS: 0.5-2 M
FLOW RATE: 20-50L/H



AY-1001A
SINGLE HEAD FOGGER- GREY
PRESSURE: 1.5-3 BAR
RADIUS: 0.7-1 M
FLOW RATE: 8-10L/H



AY-1001C
SINGLE HEAD FOGGER- BLACK
PRESSURE: 1.5-3 BAR
RADIUS: 0.7-1 M
FLOW RATE: 8-10L/H



AY-1108
SIZE: 6.0MM
PRESSURE: 1.5-3 BAR
FLOW RATE: 40 L/H
RADIUS: 1.5 M



AY-1104
PRESSURE: 2-3 BAR
RADIUS: 3-5.5 M



AY-1101
SIZE: 1/2"
PRESSURE: 1.5-4 BAR
RADIUS: 4-7M
FLOW RATE: 200-850 L/H



AY-1107
SIZE: MALE 6.0MM
PRESSURE: 1.5-3.5 BAR
RADIUS: 2-4.5 M



AY-1109
NOZZLE: 3 NOZZLE REPLACEABLE
SIZE: 1/2" & 3/4"
PRESSURE: 1.5-4 BAR
RADIUS: 8-10 M
FLOW RATE: 400-800 L/H



AY-1008C
CONNECTION SIZE: 6.0MM
PRESSURE: 1.5-3.0 BAR
RADIUS: 1.5 M
FLOW RATE: 80 L/H



AY-1008
PRESSURE: 1.5-3.0 BAR
RADIUS: 1.5 M
FLOW RATE: 80 L/H



AY-1008A
CONNECTION SIZE: 6.0MM
PRESSURE: 1.5-3.0 BAR
RADIUS: 1.5 M
FLOW RATE: 80 L/H




AY-1113
SIZE: FEMALE 7.5MM
PRESSURE: 2-5 BAR
RADIUS: 2.5-4 M
FLOW RATE: 60-180L/H



AY-1105A
GREEN OR BLUE NOZZLE
SIZE: 1/2" AND 3/4"
PRESSURE: 1.5-3 BAR
RADIUS: 3-5 M
FLOW RATE: 600 L/H



AY-1106
SIZE: 1/2"
PRESSURE: 1.5-3 BAR
RADIUS: 3-5 M
FLOW RATE: 600 L/H



AY-1260
COLOR: RED, YELLOW, GREEN, BLUE
SIZE: 6.0MM
PRESSURE: 2-5 BAR
RADIUS: 2.5-5 M
FLOW RATE: 75-205L/H



AY-1116
PRESSURE: 1.5-2.5 BAR
RADIUS: 3-6 M
FLOW RATE: 220 L/H



AY-1117
SIZE: 1/2"
PRESSURE: 1.5-2.5 BAR
RADIUS: 3-6 M
FLOW RATE: 220 L/H



AY-1203
SIZE: 7.5MM



AY-1119
MICRO SPRINKLER
ANTI INSECT
FLOW RATE: 42-213L/H



AY-1224
MICRO SPRINKLER
ANTI INSECT
FLOW RATE: 42-213L/H



AY-1220
STANDING TYPE
OR HANGING TYPE



AY-1214
SIZE: 6.0MM

APPLICATION




AY-1221
STANDING TYPE
OR HANGING TYPE



AY-1216
SIZE: 6.0MM

APPLICATION



AY-5023
SIZE: 3/4"
PRESSURE: 2-4 BAR
RADIUS: 13-15 M




AY-5112
SIZE: 1"
PRESSURE: 2-4 BAR
RADIUS: 17-26 M



AY-5209
WOBBLER SPRINKLER
SIZE: 1/2" OR 3/4" MALE
PRESSURE: 1-3 BAR
RADIUS: 5.5-8 M

APPLICATION



AY-5024
SIZE: 3/4"
PRESSURE: 2-5 BAR
RADIUS: 12-15 M



AY-5102
SIZE: 1"
PRESSURE: 2-5 BAR
RADIUS: 18-26M
FLOW RATE: 4-6 M³/H



AY-5101
SIZE: 1"
PRESSURE: 2-5 BAR
RADIUS: 18-26M
FLOW RATE: 4-6 M³/H



AY-5020
SIZE: 3/4"
PRESSURE: 3-5 BAR
RADIUS: 5-17 M
FLOW RATE: 0.5-2 M³/H



AY-5103
SIZE: 1"
PRESSURE: 2-5 BAR
RADIUS: 18-26M
FLOW RATE: 4-6 M³/H



AY-5105
SIZE: 1"
PRESSURE: 2-5 BAR
RADIUS: 18-26M
FLOW RATE: 4-6 M³/H



AY-5104
SIZE: 1"
PRESSURE: 2-5 BAR
RADIUS: 18-26M
FLOW RATE: 4-6 M³/H



AY-5104A
SIZE: 1"
PRESSURE: 2-5 BAR
RADIUS: 18-26M
FLOW RATE: 4-6 M³/H



AY-5003
SIZE: 1/2"
NOZZLE SIZE: 4.0MM
PRESSURE: 1.5-4 BAR
RADIUS: 5-12 M
FLOW RATE: 1.5-4 M³/H
360°ADJUSTABLE

APPLICATION



AY-5107
SIZE: 1/2"
PRESSURE: 2-3 BAR
RADIUS: 8-14 M

AY-5205
SIZE: 1/2" MALE
PRESSURE: 1.5-3.5 BAR
RADIUS: 8-13 M
FLOW RATE: 350 L/H OR 550 L/H

AY-5206
SIZE: 3/4" MALE
PRESSURE: 2-5 BAR
RADIUS: 18-20 M
FLOW RATE: 2-4 M³/H

APPLICATION



AY-5006
SIZE: 1/2"
PRESSURE: 2.0-3.0 BAR
RADIUS: 6-10 M
360°ADJUSTABLE

APPLICATION




AY-5008
SIZE: 1/2"
PRESSURE: 2-3 BAR
RADIUS: 8-12.5M
360°ADJUSTABLE

AY-5207
SIZE: 3/4" MALE
PRESSURE: 1-4 BAR
RADIUS: 6-8 M
FLOW RATE: 500-650 L/H

AY-5302
MATERIAL: ZINC + BRASS
SIZE: 1/2" OR 3/4"
PRESSURE: 1.5-3 BAR
RADIUS: 6-13 M
360°ADJUSTABLE

APPLICATION



AY-5005
SIZE: 1/2"
PRESSURE: 2-3 BAR
RADIUS: 8-12.5M
360°ADJUSTABLE

AY-5022A
SIZE: 1/2"
NOZZLE SIZE: 3.5*2.0MM; 4.0*2.0MM
PRESSURE: 1.5-4 BAR
RADIUS: 9-13M



AY-5035D
SIZE: 3/4"
NOZZLE SIZE: 5.0*2.5MM
PRESSURE: 3-5 BAR
RADIUS: 13-18M

AY-5220
WOBBLER SPRINKLER
SIZE: 1/2"
PRESSURE: 1.03-1.72BAR
RADIUS: 5-6M

AY-5104B
4 NOZZLE
SIZE: 1"
PRESSURE: 2-5 BAR
RADIUS: 18-26M
FLOW RATE: 4-6 M³/H

AY-5201
SIZE: 1/2"
PRESSURE: 2-3 BAR
RADIUS: 3-7 M



AY-5010
SIZE: 3/4"
NOZZLE SIZE: 5.0*2.5MM
PRESSURE: 3-5 BAR
RADIUS: 13-18M



AY-5011
SIZE: 3/4"
PRESSURE: 3-5 BAR
RADIUS: 13-18 M



AY-5014
SIZE: 3/4"
NOZZLE SIZE: 5.0*2.5MM
PRESSURE: 3-5 BAR
RADIUS: 5-17 M

AY-5210
SIZE: 1/2"
PRESSURE: 1.5-3 BAR
RADIUS: 1.2-5.2 M

AY-5202
SIZE: 1/2"
PRESSURE: 2-3 BAR
RADIUS: 2,5-6 M

AY-5203
SIZE: 3/4"
PRESSURE: 2-4.5 BAR
RADIUS: 8-13 M


SPRINKLER



SPRINKLER




AY-1040
SIZE: 2"
NOZZLE: 16MM/18MM/20MM/22MM
PRESSURE: 3-5 BAR
RADIUS: 28-32 M
FLOW RATE: 22-36 M³/H



AY-1050P
SIZE: 2.5"
PRESSURE: 3-5 BAR
RADIUS: 30-40 M



AY-1030
SIZE: 1.5"
NOZZLE SIZE: 10MM
PRESSURE: 3-5 BAR
RADIUS: 22-25 M
FLOW RATE: 7-9 M³/H



AY-1050
SIZE: 2.5"
NOZZLE: 20MM
PRESSURE: 4-6 BAR
RADIUS: 27-38 M
FLOW RATE: 10.6-22.3 M³/H

APPLICATION



AY-5030P
SIZE: 1.5"
PRESSURE: 3-5 BAR
RADIUS: 18-30 M
FLOW RATE: 4-10 M³/H



AY-1040A
SIZE: 2"
NOZZLE: 14MM
PRESSURE: 3-5 BAR
RADIUS: 26-30 M
FLOW RATE: 10.6-22.3 M³/H



AY-1040B
SIZE: 2"
NOZZLE: 12MM/14MM/16MM/18MM/20MM
PRESSURE: 1.5-5 BAR
RADIUS: 20-43 M
FLOW RATE: 9.5-39.4 M³/H



AY-5300
SIZE: 1"
NOZZLE SIZE: 7.5*3.1 MM
PRESSURE: 2-5 BAR
RADIUS: 22-28 M



AY-1030D
SIZE: 1.5"
MATERIAL: ALUMINUM + BRASS
PRESSURE: 1.5-5 BAR
RADIUS: 20-35 M
FLOW RATE: 9-32 M³/H



AY-1050C
SIZE: 2" FLANGE
PRESSURE: 3-8 BAR
RADIUS: 29-55 M
ANGLE: 24°



AY-1050A
SIZE: 2" FLANGE
NOZZLE SIZE: 18-30MM
PRESSURE: 3-8 BAR
RADIUS: 26-57 M
NOTE: WITH FLANGE AND GASKET
ANGLE: 23°



AY-5301
SIZE: 1"
PRESSURE: 2-5 BAR
RADIUS: 22-28 M



AY-1030C
SIZE: 1.5"
NOZZLE: 8MM/10MM/12MM/14MM/16MM
PRESSURE: 3-5 BAR
RADIUS: 20-30 M
FLOW RATE: 6-24 M³/H



AY-1050D
SIZE: 2" FLANGE
PRESSURE: 3-8 BAR
RADIUS: 47-80 M
ANGLE: 44°

APPLICATION



ACCESSORIES



AY-9101
SIZE: 4/7*
MALE 6.0MM



AY-9100
SIZE: 4/7*
MALE 7.5MM



AY-9102
SIZE: 4/7*
FEMALE 6.0MM



AY-9103
SIZE: 4/7



AY-9107
SIZE: 4/7



AY-9108
SIZE: 6.0MM*6.0MM



AY-9105
SIZE: 4/7



AY-9110
SIZE: MALE 6.0MM *
MALE 6.0MM



AY-9110A
SIZE: MALE 6.0MM *
MALE 7.5MM



AY-9110B
SIZE: BARB *
MALE 6.0MM



AY-9110C
SIZE: BARB *
MALE 7.5MM



AY-9110E
SIZE: MALE 6.0MM *
FEMALE 6.0MM



AY-9111A
SIZE: MALE 6.0MM *
BARB



AY-9111B
SIZE: FEMALE 6.0MM *
BARB



AY-9111C
SIZE: MALE 7.5MM *
BARB



AY-9111
SIZE: MALE 6.0MM *
FEMALE 6.0MM



AY-9113
SIZE: 1/2" *
6.0MM MALE



AY-9113A
SIZE: 1/2" *
6.0MM FEMALE



AY-9113B
SIZE: 1/2" *
7.5MM MALE



AY-9113C
SIZE: 1/2" *
BARB



AY-9137
4/7 PVC SOFT PIPE



AY-9138
8/11 PVC SOFT PIPE



AY-9139
4/7 PVC SOFT PIPE



AY-9127
LENGTH: 33CM OR 43CM



AY-9211
SUPPORT STAKE
FOR 4/7 PIPE
LENGTH: 11CM



ACCESSORIES



AY-9160
VALVE 6.0MM



AY-9160C
2 BARB



AY-91309
WEIGHT: 38G
LENGTH: 9.8CM



AY-91306W
WEIGHT: 32G
LENGTH: 6CM



AY-91305B
WEIGHT: 38G
LENGTH: 5.7CM



AY-9146
SIZE: 4/7



AY-9147
SIZE: 4/7



AY-9142
SIZE: 4/7



AY-9145
SIZE: 4/7



AY-9144
SIZE: 4/7



AY-9141
SIZE: 4/7
6.0MM/ 7.5MM



AY-9109
SIZE: 4/7



AY-9293
WATER TIMER
220V



AY-9294
WATER TIMER



AY-9590
RAPID WATER VALVE
SIZE: 3/4"; 1"



AY-9500
SUPPORT STAKES
FEMALE: 1/2"
MALE: 3/4"



AY-9502
SUPPORT STAKES
MATERIAL: ZINC ALLOY
FEMALE: 1/2"



PVC LAY FLAT HOSE
SIZE: 1" TO 8"




PVC FIRE HOSE
SIZE: 1.5" TO 6"



METAL FOOT VALVE
SIZE: 2" TO 10"



PVC FOOT VALVE
RED, WHITE OR GREY



SEEDLING TRAY





AY-9331
OFFTAKE FOR TAPE
DN16*6
DN16*12



AY-9330
LOCK COUPLING
DN16*16



AY-9340
COUPLING
LOCK BARBED
DN16*16



AY-9339
LOCK OFFTAKE
DN16*16



AY-9350
END PLUG
DN16



AY-9332
THREAD COUPLING
DN16*1/2"



AY-9341
CONNECTOR
FOR LAY FLAT HOSE
DN16



AY-9351
CONNECTOR
FOR LAY FLAT HOSE
DN16



AY-9349
LOCK ELBOW
DN16



AY-9345
LOCK TEE
DN16



AY-9335
MALE THREAD TEE
DN16*1/2"



AY-9352
TEE
FOR LAY FLAT HOSE
DN16



AY-9334
ONE BARB TEE
DN16*16*16



AY-9353
TEE FOR TAPE
DN16



AY-9354
TEE FOR TAPE
DN16



AY-9356
RING OFFTAKE
DN12*16



AY-9355
RING COUPLING
DN16



AY-9358
COUPLING
BARB LOCK RING
DN16*16



AY-9359
RING END PLUG
DN16



AY-9357
RING ELBOW
DN16



AY-9360
TEE FOR DRIP TAPE
DN16



AY-9361
TEE FOR DRIP TAPE
DN16*12*16



AY-9330B
LOCK COUPLING
DN16



AY-9330A
LOCK COUPLING
DN16



AY-9339A
LOCK OFFTAKE
DN16*16



AY-9376
OFFTAKE WITH GASKET
DN16*16



AY-9376A
OFFTAKE FOR
DN16*12



AY-9359A
LOCK END PLUG
DN16



AY-9375B
FOR LAY FLAT HOSE
DN16



AY-9304B
OFFTAKE
DN16*16



AY-9304
OFFTAKE
DN16*12; DN20*16



AY-9303
BARB STRAIGHT
CONNECTOR
DN16; DN20; DN25



AY-9311
ELBOW
DN16; DN20; DN25



AY-9310
TEE
DN16; DN20; DN25



AY-9305
BARB END LINE
DN16; DN20; DN25



AY-9312A
BARB REDUCER
DN20*16



AY-9314
MALE THREAD
ELBOW
DN16*1/2"



AY-9308
MALE THREAD
TEE
DN16*1/2"



AY-9309
MALE THREAD
CONNECTOR
16*1/2; 16*3/4; 20*1/2;
20*3/4; 25*1/2; 25*3/4"



AY-9306
BARB CONNECTOR
DN16; DN20



AY-9307
FEMALE THREAD
CONNECTOR
DN16*1/2; DN16*3/4;
DN20*1/2; DN20*3/4"



AY-9301
END LINE
DN16; DN20; DN25
FOR PE PIPE



AY-9316
SUPPORT
FOR 16MM PE PIPE
LENGTH: 11 CM



AY-9707
MALE THREAD CONNECTOR
SIZE: 25 TO 50



AY-9708
COUPLING
SIZE: 25 TO 50



AY-9706
VALVE 40MM



AY-9704
VALVE



VALVE
FOR MICRO SPRAY TUBE



AY-9704
VALVE 28MM



AY-9705
END STOP
FOR SPRAY TUBE

ACCESSORIES



AY-203
H BASE



AY-205
CIRCLE BASE
WITH SPRINKLER



AY-104
WATER SPRAY GUN
COLOR: RED OR GREEN



AY-107
WATER SPRAY GUN



AY-9387
PUNCH 14MM



AY-9181
PUNCH DN4



AY-9380
PUNCH DN8



AY-9182
PUNCH DN4



AY-9183
PUNCH DN3*DN4



AY-9184
SIMPLE PUNCH DN3



AY-9386
PUNCH 8/10/12MM



AY-9382
PUNCH



AY-9385
PUNCH 8/12/16MM



PRESSURE GAUGE

MINI VALVE



AY-4204
SIZE: 16*16



AY-4205
SIZE: 16*16



AY-4206
SIZE: 16*12



AY-4004
SIZE: 16*16



AY-4005
SIZE: 20*20



AY-4006
SIZE: 25*25



AY-4003
SIZE: 8*8



AY-4008
SIZE: 16*12



AY-4009
SIZE: 20*12



AY-4009A
SIZE: 20*12



MINI VALVE



AY-4010
SIZE: 25*12



AY-4026
SIZE: 16*16



AY-4027
SIZE: 20*16



AY-4028
SIZE: 25*16



AY-4028A
25*16



AY-4039
SIZE: 25*20



AY-4040
SIZE: 20*20



AY-4022
SIZE: 16*12



AY-4023
SIZE: 16*16



AY-4031
SIZE: 16*16



AY-4100
SIZE: 16*12



AY-4024
SIZE: 16*16



AY-4029
SIZE: 16*1/2"



AY-4030
SIZE: 16*3/4"



AY-4002
SIZE: 4*8



AY-4017
SIZE: 16*20



AY-4018
SIZE: 25*20



AY-4019
SIZE: 25*16



AY-4011
SIZE: 16*1/2"



AY-4012
SIZE: 16*3/4"



AY-4013
SIZE: 20*1/2"



AY-4016
SIZE: 20*3/4"



AY-4014
SIZE: 25*1/2"



AY-4015
SIZE: 25*3/4"



AY-4032
SIZE: 16*16



AY-4033
SIZE: 16*20



AY-4034
SIZE: 16*25



AY-4041
SIZE: 16*16



AY-4036
SIZE: 16*16



AY-4201
SIZE: 12*16

MINI VALVE



AY-4203
SIZE: DN16



AY-4150
SIZE: 12*16



AY-4150A
VALVE WITH GASKET
SIZE: 16*16



AY-4157
SIZE: 16*16



AY-4159
SIZE: 16*16



AY-4165
SIZE: 12*16



AY-4160
SIZE: 12*16



AY-4162
SIZE: DN16



AY-4163
SIZE: DN16



AY-4164
SIZE: 1/2"*16



AY-4155
SIZE: 1/2"*20



AY-4156
SIZE: 1/2"*16



AY-4153
16*16



AY-4154
SIZE: 20*20



AY-4151
12*16



AY-4152
16*20



AY-4050
SIZE: 16*12



AY-4051
SIZE: 20*16



AY-9302A
GROMMET
H TYPE
12; 16; 20MM



AY-9302B
GROMMET
T TYPE
16MM

FILTER AND VENTURI INJECTOR



VENTURI INJECTOR
SIZE: 1/2"; 3/4"; 1"; 1-1/2"



VENTURI INJECTOR
SIZE: 2"



SUCTION ASSEMBLY
SIZE: 1/2"; 3/4"; 1"; 1-1/2"



AIR & VACUUM
RELIEF VALVE



FILTER AND VENTURI INJECTOR



DISC FILTER
SIZE: 3/4"; 1"; 1.2;
1.5"; 2"; 2.5"



SCREEN FILTER
SIZE: 3/4"; 1"; 1.2;
1.5"; 2"; 2.5"



DISC FILTER
SIZE: 1.2; 1.5"; 2"



SCREEN FILTER
SIZE: 1.2; 1.5"; 2"



DISC FILTER
SIZE: 2"; 2.5"; 3"



SCREEN FILTER
SIZE: 2"; 2.5"; 3"



DISC FILTER
SIZE: 2"; 2.5"; 3"



DISC FILTER
SIZE: 3"; 4"

COMPRESSION FITTINGS



COUPLING



REDUCING COUPLING



90° ELBOW



END CAP



FEMALE THREAD TEE



EQUAL TEE



REDUCING TEE



FEMALE THREAD
ADAPTOR



MALE THREAD
ADAPTOR



PP SADDLE
CLAMP



COMPRESSION VALVE
SIZE: 20 TO 63
PN16



COMPRESSION VALVE
SIZE: 32; 40



COUPLING
PN16



EQUAL TEE
PN16



COMPRESSION VALVE
SIZE: 20 TO 110
PN16

